
VELORA







Square Sizes



Rhombus Sizes





Α	В	H1	H2	Htot	Area
13'-1"	13'-1"	9'-4"	8'-2''	9'-10''	172
14'-9''	14'-9''	9'-4"	8'-2"	9'-10''	218
16'-4''	16'-4''	9'-4"	8'-2"	9'-10''	269

Α	В	H1	H2	Htot	Area
13'-1"	19'-8''	9'-4"	8'-2"	9'-10''	269
13'-1"	26'-2''	9'-4"	8'-2"	9'-10''	172
16'-4"	26'-2''	9'-4"	8'-2"	9'-10''	215
16'-4"	32'-9"	9'-4"	8'-2"	9'-10''	269
19'-8"	26'-2''	9'-4"	8'-2"	9'-10''	258
19'-8''	32'-9"	9'-4"	8'-2"	9'-10''	322


Retractable Sail Shade

Velora has a central roller with a spring-assisted rewinding system, facilitating the manual opening and closure of the sails.



Non-Mounting Options

The structure can be installed anywhere in a very short time, even without preparing a foundation, thanks to an elegant ballast in white stone aggregate. Six stone ballasts are required to fully weigh the system down.







Mounting Options

Mounting options can vary based on each project's needs. Options for in-ground mounts allow the structure to affix to a pedestal or existing foundation. Optional wall mounts allow the Sail Shades to affix to walls and replace any post with the wall mount alternative of its function.

Sail Shade Material


Providing durable UV protection and contemporary shelter from rain. The large canopy of the Sail Shade provides an attractive, contract-grade shelter for outdoor events with an elegant silhouette to blend into the surrounding landscape.

-Yarn: 100% Polyester

-Weight:

White Color- 430 g/m2 Beige Color- 210 g/m2

- -Breaking Strength:
 - -White Color- 29.4 -37.7 daN./ 43.6-50 daN per 1% for elongation
 - -Beige Color- 17-25.5 daN / 12.9-16 daN per 1% for elongation



Frame Material

Satin Finish Stainless Steel Ansi 316

Powder Coated Aluminum has a strong UV resistance, does not contain solvents or VOCS, and resists against scratches, corrosion, and chipping.

Custom RAL color options are available in a smooth or matte textured finish.

